

Video In Motion Adapter for Mercedes-Benz Installation Manual



Index

- * Precaution
- * Specification
- * Concept Diagram
- * Product and Package Contains
- * Dip Switch Setting
- * Can Wiring (BENZ)
- * ON / OFF Operation(BENZ)
- * Can Wiring (GENESIS | EQUUS)
- * ON / OFF Operation (GENESIS | EQUUS)

Precaution

- Do work only by qualified service personnel and take off the key of vehicle while installation.
- Check power cable of car video interface before take on the key.
- Remove any object that could fall into ventilation holes.
- Do not expose the interface to rain, water, or excessive moisture environment.
- We can not warranty, if opened the case of interface module. The label must keep attached on the case.

Specification

-- Power Consumption


- Size : 57mm * 51mm
- Input Voltage : 7V DC ~ 18V DC
- Power Consumption : 0.8WATT @12V

Car Compatibility

* Mercedes-Benz

- BENZ S-CLASS LVDS (2006~2009)
- BENZ E,C-CLASS LVDS (2008~2011)
- BENZ S-CLASS ROUND (2010~)
- BENZ E,C-CLASS ROUND (2012~)

Concept Diagram




1. ACC 2. GND 3. CAN_L1 4. CAN_H1 5. CAN_L2 6. CAN_H2


Product and Package Contains



Dip Switch Setting



Can Wiring (BENZ)



YELLOW/WHITE : CAN H
YELLOW : CAN L



ON / OFF Operation(BENZ)



UP BUTTON : 2 sec press for Motion free on

DOWN BUTTON : 2 sec press for Motion free off

Can Wiring (GENESIS | EQUUS)



- A 09 (BLUE): CAN LOW
- A 11 (RED) : CAN HIGH
- A 12 (BLACK): GND
- A 15 (RED): B+
- B 08 (PINK): ACC

ON / OFF Operation (GENESIS | EQUUS)




GENESIS

VOICE BUTTON :

2 sec press for Motion free ON/OFF

The operation is toggled.



EQUUS

TEL OFF BUTTON :

2 sec press for Motion free ON/OFF

The operation is toggled.