

1. P2p function, plug and play, no need to do port forwarding, scan QR code to view.
2. Support viewing max 16 devices directly at the same time after pc client software installation. No need complicated settings. Multi-language selectable, recording and photographing supported.
3. Smartphone view, free app for iPhone and Android.
4. 1.0 megapixel, 4.2 inches explosion-proof medium-speed dome ip camera, video parameters adjustable.
5. Motion detection, sensitivity can be adjusted. Uploading photos by email and FTP.
6. Metall outdoor dome ipcam.
7. Pan: 355 degrees; Tilt: 90 degrees.
8. 22 IR Leds, night vision up to 15m.





iphone



Android



ipad



computer

iPhone iPad Computer

Easy mobile phone view


Support Android and iPhone view directly



Remote monitoring by mobile. Anytime! Anywhere!

Worry about your home or the old? Miss your wife and children?

Mobile remote control is a good choice for you.



Online remote monitoring

Connect the device with Computer client, you can see everything in your hom, support playback, support general smartphone , tablet notebook, for remote monitoring, easy view anytime ,any where.



(Motion detection, real time recording)

You can set 24hours recording, or motion detection recording, the surveillance will automatically record when motion detected, which will save your space.



Upload the pictures taken from the monitoring videos to your computer directly. Watch it anytime.



Application



school



parking lot



The hotel




store



workshop

Choose the lens

The larger lens will have farther IR distance, but smaller angle;
the smaller lens will have shorter IR distance, but larger angle.



Real Photos



wanscam



Mode 50 HZ

Resolution 1280x720

FrameRate 25

PTZ speed Fast

Rate 4096

Brightness 128



Contrast 192

Saturation 80

Chroma 64

Default video param all

Preset: Call Set



wanscam



Mode 50 HZ

Resolution 1280x720

FrameRate 25

PTZ speed Fast

Rate 4096

Brightness 128

Contrast 192

Saturation 80

Chroma 64

Default video param all

Preset: Call Set

