

User Manual


for Mercedes







Specifications



Specification

Input	USB/CVBS signal input	
Input Voltage	12-16V DC	
Rated Current	2A	
Rated Power	24W	
Control	Voice control, iDrive control	
Material	Housing aluminum	

support@car-solutions.com

Panel description

CAN	For power cable connection, CAN data transmission		
USB/Video	USB data transmission, and for reverse/front camera conenction		
HDMI IN	HDMI input, support up to 720P		
LVDS	Connect with LVDS cable we provided		
RF Cable	Wifi antenna connector		
Toggle switch	ggle switch Refer DIP code setting to set for different screen size		

Features

- >Support wireless/wired Carplay connection
- >Support wireless/wired Android auto function (some mobile phones)
- >Support wireless Airplay function
- >Support wired Autolink function
- >Compatible with OEM microphone and external microphone
- >Support EQ adjustment, lossless sound quality
- >Support HDMI input
- >Support USB to play audio file &video, support firmware upgrade >Keep the OEM system function, reversing radar and track display

car-solutions.com

Accessories For Benz 4.x/5.0 ntg BOX







LVDS cable

WIFI antenna

AV/USB cable



CAN power cable



USB-to-AUX audio cable (For Benz which has Burmester) car-solutions.com

Accessories For Benz 5.x ntg Box



LVDS cable WIFI antenna AV/USB cable



CAN power cable




Power amplifier box (For Benz which has no Burmester)

DIP Code setting

Carplay box model	NTG	Screen size	DIP code setting		
4. x	4. 5	5. 8	00101101 (Priority of use)	0 F F	iiii
		5. 8	00101001	O N ON ON ON I	6 6 7 8
		7	00100101		
5.x	5.0&5.1	6.3	00001001	4	
		7	0000001	1: ┡	0:1
		8.4(800*480)	0000001		
		8.4(960*525)	00001101		
		12.3	00000101		
	4.7	6.3	00011001	NTG4.5	
		7	00010001	Radio interface	Center console
		8.4(800*480)	00010001	12:10 1A 新版 电场 斯级 90.5 MHz 90.5 MHz 88.3 MHz 80.5 MHz	## 10 ON 100 TO
		8.4(960*525)	00011101	100元 100元	01 VI VIII VIII VIII VIII VIII VIII VIII
		12.3	00010101		Por
	4.8	6.3	00111001	NTG4.7/4	4.8/5.0/5.1
		7	00110001	Radio interface	Center console
		8.4(800*480)	00110001	14.31 re dan 14.34 \$6.7 Mag (4.64) \$10.00	
		8.4(960*525)	00111101		
		12.3	00110101		
support@car-solutions.c	om	1	•		car-solutions.com


Connection Diagram




Reverse camera wirng connection and settings

Automatic transmission:

- 1. Connect the reverse camera to CVBS OUT labeled 'Reverse camera'
- 2. Connect the cable labeled '12V reverse camera(yellow)' to camera power
- 3. Setting \rightarrow Reverse \rightarrow Reverse camera \rightarrow Aftermarket





Munal transmission

- 1. Connect the reverse camera to CVBS OUT labeled 'Reverse camera'
- 2. Setting \rightarrow Reverse \rightarrow Reverse camera \rightarrow Aftermarket





Wireless carplay connection


- 1. Turn on WIFI (Fig.1)
- 2. Turn on Bluetooth (Fig. 2), and connect Carplay's bluetooth (Fig. 3/4)
- 3. After the bluetooth connection is completed, the following prompts will pop up, click 'Allow-Use carplay' (Fig.5/6)














4. After the connection is successful, it will enter Carplay automatically(Fig.7/8) support@car-solutions.com

Wireless Android auto connection



- 1. Turn on WIFI (Fig.1)
- 2. Turn on Bluetooth (Fig.2)
- 3. Search the Android phone's bluetooth on the screen in Carplay system(Fig.3/4/5)
- 4. Pair the bluetooth with your phone.(Fig.6)
- 5. After connecting the bluetooth, it will pop up the following prompts(Fig.7/8)
- 6. Then it will enter Android auto automatically(Fig.9)




Wired Android auto connection

- 1. Download Android auto APP on your Android phone(Fig.1).
- 2. Click 'WireAuto' icon(Fig.2), the prompt 'Please connect your Android device' will pop up(Fig.3).
- 3. Plug your phone to USB port. then it will enter Android auto automatically(Fig.4).












Wireless Airplay connection

- 1. Click 'Airplay' icon first (Fig.1), the pairing information with the phone will be displayed (Fig.2)
- 2. Search wifi signal of Airplay and conenct
- 3. Turn on Airplay (Fig3/4)

Note: If you have connected Carplay before, you need to disconnect Carplay first!











Wired Autolink connection

- 1. Download Android auto APP on your Android phone(Fig.1).
- 2. Click 'Autolink' icon(Fig.2), the prompt 'Please connect your Android device' will pop up(Fig.3).
- 3. Plug your phone to USB port(Fig.4). then it will enter Android auto automatically(Fig.5).




















Original buttons







Button	Function	Operation	Remarks	
① C/★	System switching	Long press the button for 3 seconds	OEM ←→ CarPlay	
2	Go back	Press the button short time	Apple Car Play Function	
Back			Google Android Auto	
	Restart	Press the button 5 seconds	You can use this function when you get in trouble	
3	Move the pointer Left or Right	Turn the dial	Apple Car Play Function	
		Move Left or Right	Google Android Auto	
4	Answer/hang up the call		Apple Car Play Function	
		Press the button short time	Google Android Auto	
<u>5</u>	"Siri" "Google Assistant"	D	Apple Car Play Function	
		Press the button 3 seconds	Google Android Auto	

FAQ

- 1.Q: What need to be paid attention to during installation?
 - A: 1) Make sure that the carplay box is compatible with the installed model, and check whether the label of box matches with the car model.
 - 2) Power off during installation
 - 3) After the installation is complete, it is best to lock the car for a few minutes to turn it on, wait until the running test is normal, then restore the car
- 2. Q: While switching to carplay, the screen displays no signal, black screen, abnormal screen or no response?
 - A: 1) Check whether the wiring is connected according to the wiring diagram
 - 2) If the wiring connection is normal but the display is not normal, check if the pins of the lvds cable ports are bent or not in contact, you need to re-plug it.
 - 3) Check whether the dip switch code is correct, after each change, re-plug the box's can power cable.
 - 4) If the dip switch code and wiring connection are normal after inspection, box still switches to the black screen, contact with the saler for a solution
- 3. Q: I don't have sound when I connect carplay, what can I do?
 - A: 1) if car has original car fiber opic cable ,transfer first
 - 2) if the car is NTG4.5 system, you need to activate AUX first
 - 3for NTG 5.X, you can connect the USB-to-AUX audio cable to get sound(for detail, please refer the connection)

The video to activate AUX for NTG4.5: https://youtu.be/_ye5OO6r1IY

- 4.Q:For Benz 5.x ntg which has no Burmester, how to install the amplifier box?
 - A:1) Plug the power amplifier box into the corresponding socket on the power cord.


Note: Amplifier box should not be placed together with the box.

- 2) Connect the audio ground cable from the power cord to the USB ground cable, and the sound will be normal.
- 3) Refer to the installation diagram of 4.5/5.0 box for other installation process.

5. Q: Solutions to not being able to connect with carplay?

A: can try to use the solutions below separately or together

- 1) Click on carplay bluetooth or wifi on the mobile phone
- 2) At the same time, clear the Bluetooth devices on the mobile phone and the car, and then pair and connect
- 3) Go to WirelessDev to reset the Bluetooth, and then pair and (Fig.1)








- 4) Restore the mobile network to the mobile phone
- 5) Check whether the carplay on the mobile phone is turned on (Fig.2)
- 6) Siri permissions are all turned on(Fig.3)
- 7) If necessary, check the antenna (whether it is broken, or attached to the metal, stay away from the box)

- 6. Q:When I call someone, he can hear himself, how to do?
 - A:1) Adjust the volume of the original car to normal use
 - 2) Turn the volume in 'audio' setting to 13(Fig.1)



- 3) Turn the 'Microphone Volume' to 12
- 4) 'Microphone OP' tune from 0 until no echo is heard
- 5) Adjust 'AEC quality' to 2
- 6) If the caller hears the echo interval for a long time, fine-tune the 'Microphone delay
- 7) If the caller hears a small voice, you can fine-tune the 'Microphone Volume' and 'Microphone PGA'
- 7. Q:I install the carplay, but the button on steering wheel can't work A:

A:Set the setting 'Enable wheel key' to ON(Fig.2)





- A: 1) Check whether has turned the siri access permissions on iphone, turn all the options on
 - 2) Turn the function of steering wheel on in carplay switch page setup
- 3) If can activate the Siri but Siri cant receive the command, please check whether the mic works first, if no problem with mic, check the Bluetooth of iphone, disconnect it from original car Bluetooth