


Main Specifications



Input Voltage	12~16V DC
Rated Current	2A
Rated Power	24W
Material	Housing aluminum
Connection	Wireless , USB
Control	Original car knob control, voice control
Working Temperature	-20 ~ 80 degree

Components



Main Harness



LVDS Cable



AV,USB Cable



ANTENNA

Option Parts



USB To AUX Module






OBD Aux Module

Compatibility Chart

Car Model	Code Name	Year
C-Class	W205	2014 ~ 2019
GLC-Class	X205	2014 ~ 2019
S-Class	W222	2013 ~ 2019
V-Class	W447	2014 ~ 2019

Body Connector specifications



AV CABLE			
1	CVBS_GROUND	9	
2	REVERSE_CAM_VIDEO_INPUT	10	FRONT_CAM_VIDEO_INPUT
3		11	
4	GROUND_SHIELD	12	REVERSE_12V_INPUT
5	USB_GND	13	REAR_12V_POWER_OUT
6	DATA +	14	
7	DATA -	15	GROUND
8	5V POWER	16	12V(ACC)_OUT

Car Compatibility Chart

Car Models	Specific Models	Production Year	Specific Models	Screen Size
A-Class <i>*facelift</i>	W176	2016 - 2018	- COMAND APS NTG 5.0/5.1/5.2 (ONLINE) and AUDIO 20.	7 inch 8 inch
CLA-Class <i>*facelift</i>	x156	2015 - 2018	- COMAND APS NTG 5.0/5.1/5.2 (ONLINE) and AUDIO 20.	7 inch 8 inch
	C117	2016 - 2018		
B-Class <i>*facelift</i>	W246	2015 - 2019	- COMAND APS NTG 5.0/5.1/5.2 (ONLINE) and AUDIO 20.	7 inch 8 inch
C-Class	W205	2014 - 2019	- COMAND APS NTG 5.0/5.1/5.2 (ONLINE) and AUDIO 20.	7 inch 8.4 inch
SLC-Class	R172	2015 - 2019	- COMAND APS NTG 5.0/5.1/5.2 (ONLINE) and AUDIO 20.	7 inch
E-Class	W212	2015 - 2017	- COMAND APS NTG 5.0/5.1/5.2 (ONLINE) and AUDIO 20.	7 inch
CLS-Class	W218	2015 - 2018	- COMAND APS NTG 5.0/5.1/5.2 (ONLINE) and AUDIO 20.	7 inch
GLC-Class	X253	2015 - 2019	- COMAND APS NTG 5.0/5.1/5.2 (ONLINE) and AUDIO 20.	7 inch 8.4 inch
GLE-Class	W166	2015 - 2019	- COMAND APS NTG 5.0/5.1/5.2 (ONLINE) and AUDIO 20.	8 inch
GLS-Class	X166	2015 - 2019	- COMAND APS NTG 5.0/5.1/5.2 (ONLINE) and AUDIO 20.	8 inch
V-Class	W447	2015 - 2019	- COMAND APS NTG 5.0/5.1/5.2 (ONLINE) and AUDIO 20.	7 inch 8.4 inch
X-Class	W470	2015 - 2019	- COMAND APS NTG 5.0/5.1/5.2 (ONLINE) and AUDIO 20.	7 inch 8.4 inch



Mercedes NTG5 <7 inch>



Mercedes NTG5 <7 inch>



Mercedes NTG5 <8 inch>



A, CLA-Class
**facelift*



B-Class
**facelift*



C-Class



E-Class



CLS-Class
**facelift*



SLC-Class



V-Class



X-Class



GLA-Class



GLC-Class




GLE-Class




GLS-Class

Full Installation Diagram




We recommend using for each phone manufacturer genuine cable Please. Never using "Adapter Type and Multi cable"

 Apple Car Play
Apple i-phone

 Android Auto
Google Android



OBD AUX Module




When Using OBD AUX
Please check audio pin spec and connect

USB AUX Module





※ Connect to the "USB1" Port in the console box

※ Connect sound using "OBD-AUX" or "USB-AUX"



AV Cable




DIP Switch Settings




PIN	ON (▼)	OFF(▲)
1	External Microphone	OEM Microphone
2	Used Default "OFF(▲)"	
3	Selection of car mode	
4		
5	8,4 Inch 960 X 480	7 Inch , 8inch 800 X 480
6		
7	Used Default "OFF(▲)"	
8	Used Default "ON (▼)"	

No.3	No.4	No.5	No.6	Year	Car Model	Code Name	Screen Size
OFF(▲)	ON (▼)	OFF(▲)	OFF(▲)	2016 ~ 2018	A,CLA,GLA	W176	7 inch 8 inch
				2015 ~ 2019	B-Class	W246	
				2015 ~ 2018	CLS-Class	C218	
				2015 ~ 2019	GLE-Class	W166	
				2015 ~ 2019	GLS-Class	X166	
				2015 ~ 2019	SLC-Class	R172	
ON (▼)	ON (▼)	OFF(▲)	ON (▼)	2015 ~ 2017	E-Class	W212	7 inch
OFF(▲)	OFF(▲)	OFF(▲)	OFF(▲)	2014 ~ 2019	C-Class	W205	7 inch
				2015 ~ 2019	GLC-Class	X253	
				2015 ~ 2019	V-Class	W447	
				2015 ~ 2019	X-Class	W470	
OFF(▲)	OFF(▲)	ON (▼)	ON (▼)	2014 ~ 2019	C-Class	W205	8.4 inch
				2015 ~ 2019	GLC-Class	X253	
				2015 ~ 2019	V-Class	W447	
				2015 ~ 2019	X-Class	W470	



Activation by original buttons



A-Class Buttons



C-Class Buttons



Button	Function	Operation	Remarks
1	Changing Modes	Press the button 3 seconds	Order : OEM → Car Play
		Press the button short time	Return to the OEM mode in any modes.
↕ ↻	Move the pointer Select	Turn the dial	Apple Car Play Function 🍏
		Press the dial	Google Android Auto 🤖
3	Answer Phone Call	Press the button	Apple Car Play Function 🍏
			Google Android Auto 🤖
4	Reset	Press the button 5 seconds	Apple Car Play Function 🍏
	Go back	Press the button	Google Android Auto 🤖
5	Changing Modes	Press the button 3 seconds	Order : OEM → Car Play
		Press the button short time	Return to the OEM mode in any modes.
2	"Siri" "Google Assistant"	Press the button 3 seconds	Apple Car Play Function 🍏
			Google Android Auto 🤖

User Interface

Airplay (Apple i-phone mirroring) <WIFI>



It is connected by wifi signal

- Turn on the wifi on the i-phone
- Select Carplayxxxxxx (The wifi name might be deffrent) and connect
- Select "Air play" in the "i-Phone Control Center"
- The smart phone screen will be copy on the car screen

WireAuto (Android Auto) <Cable>



Apple Carplay Wireless,Cable



WirelessDev Setting (Bluetooth)



Wireless Carplay Settings (Bluetooth)

※ Only (Apple i-Phone)

USB Player (Media,Music)

HDMI IN PUT



Android Mirroring <Cable>



Setup <Please Check Next Page>



Front Camera



When it installed front view camera
The user can check front view camera image with it

Settings <System>



Language — English Italian Spanish Turkish Chinese

Display — Brightness Contrast Chromaticity Saturation

Audio

- Volume — 0 — 18
- EQ — [5 frequency sliders] — You can adjust sound the frequencies to make it
- Loudness — ON OFF
- Mic Echo PreConfig — Default
- Microphone Volume — 0 — 24
- Microphone OP — 0 — 6
- Microphone PGA — 0 — 30
- Microphone Delay — 0 — 30
- AEC quality — 0 — 2

Wifi Channel(reboot required)


- 6 — 2.4Ghz — Basic wifi channel
- 36 — 5 Ghz — It's a global channel in the United States.
- 149 — 5 Ghz — It's a chinese channel.

It function is stable wireless Carplay
You can improve wireless connection
by change wifi channel.

Reverse

- Reverse Camera — Original — Aftermarket — Original = OEM Rear view Camera — Aftermarket = External Rear view Camera
- Reverse Line Detect — ON OFF
- Reverse Display Track — ON OFF
- Reverse Display Radar — ON OFF
- Front View Time — 0 — 10 — When you shift gear 'from R to D' or 'from P to D', it just works automatically during the activation time you selected
- Reverse Full Screen — ON OFF

Settings <System>



Right Drive ON OFF ON = Left Steering Wheel
OFF = Right Steering Wheel

Camera Mirror ON OFF

Switch L/R Key to D/U Key ON OFF

Wheel key swap No swap Swap Invalid

Carplay Left Scrap 0 10

Carplay Left Scrap 0 10

Software Update

- System Update
- MCU Update
- Logo Image Update
- Carplay icon Update

Download Update File

<http://indiwork.co.kr/manual-carplayandroid-auto/>

support@car-solutions.com

System Update

- Copy the update file "ISPBOOOT.BIN" to the root directory of USB storage.
- Plug in the USB storage on the carplay box USB port
- Select the "System update" or Press the BACK button 5sec "It will be restart and start update automatically"

Please. Never power off the box on updating

MCU Update

- Copy the update file "Upgrade.bin" to the root directory of USB storage.
- Plug in the USB storage on the carplay box USB port
- Select the "MCU update"

Please. Never power off the box on updating

Logo Image file format

File Name : "no logo.bmp" **Size :** 800 x 480

- Copy the update file "no logo.bmp" to the root directory of USB storage.
- Plug in the USB storage on the carplay box USB port

Carplay icon Image file format

File Name : "no cp_back.png" **Size :** 250 x 250

- Copy the update file "no logo.bmp" to the root directory of USB storage.
- Plug in the USB storage on the carplay box USB port

car-solutions.com

Recomand Setting

8.4inch Screen

C,GLC (W205), V (W447) X (W470)



Microphone Volume	0	24	24
Microphone OP	0	6	2
Microphone PGA	0	30	0
Microphone Delay	0	30	6
AEC quality	0	2	2